

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.61  
SPRING, S. DEPT. OF AGRICULTURE, 1910

Washington, D. C.

## PRICE LIST

OF THE

# BLOODGOOD NURSERIES

DEPT. OF AMERICAN NURSERY CO.

FLUSHING, L. I., N. Y.

FREIGHT AND PASSENGER STATION:

BROADWAY, L. I., N. Y., NORTH SHORE DIV. L. I. R. R.

POST OFFICE AND EXPRESS STATION:

FLUSHING, N. Y.

---

Quotations herein are for nurserymen and dealers only.

Terms cash except by agreement otherwise.

Packing will be done in bales or boxes, for which service a charge will be made to cover cost of material and labor only. After packing, free delivery will be made to our R. R. here, which is part of the Pennsylvania R. R. system. Trees packed in bulk in car without expense.

After delivery to carriers, goods travel at purchaser's risk and expense. All complaints should be made on receipt of the goods, and will then be given due consideration.

Our nurseries are inspected annually, and a State certificate accompanies each shipment.

---



## DECIDUOUS TREES

Our Japan Maple trees are of much better grade than those usually offered. All are grafted and are of intense and constant color. Nearly all were transplanted last Spring and are in best possible condition.

	Each	Per 100
<b>ACER</b> Japonicum aureum, 1½-2 ft. ....	\$1 00	\$90 00
“ “ 2 -3 ft. ....	1 25	
polymorphum, extra, 2½ ft. ....	50	
“ “ 3-5 ft. ....	75	
“ Atropurpureum, 2 -2½ ft. ....	1 10	100 00
“ “ 2½-3 ft. ....	1 50	125 00
“ “ 3½-4 ft. ....	2 50	
“ nigrum, 2 -2½ ft. ....	1 10	100 00
“ “ 2½-3 ft. ....	1 50	125 00
“ “ 3½-4 ft. ....	2 50	
“ dissectum, 1½-2 ft. ....	1 25	
“ “ 3 ft. ....	2 00	
“ atro-diss., 1½-2 ft. ....	1 25	100 00
“ “ 3 -5 ft. ....	2 50	
“ reticulatum, 2 ft. ....	1 50	

### NATIVE AND OTHER SHADE TREES

<b>ACER</b> campestre, 3-4 ft. ....	20	15 00
“ 8-10 ft. ....	50	
colchicum, rubrum, 1¼ in. ....	50	
“ “ 1½ in. ....	75	
“ “ 1¾ in. ....	1 00	
dasycarpum, 10 ft., 1¼ in. ....	35	30 00
“ 10-12 ft., 1½ in. ....	60	50 00
“ 1¾ in. ....	90	85 00
“ 2 in. ....	1 15	100 00
“ Weiri, 1½ in. ....	60	50 00
“ “ 1¾ in. ....	1 00	
Pennsylvanicum, 5-7 ft. ....	50	
platanoides, 8-9 ft. ....	60	50 00
“ 1½ in. ....	90	85 00
“ 1¾ in. ....	1 25	110 00
“ 2 in. ....	2 00	
“ globosa, 6-7 ft. ....	1 00	
“ Schwedleri, 5- 6 ft. ....	40	
“ “ 8-10 ft. ....	75	
“ “ 1½ in. ....	90	
“ “ 1¾ in. ....	1 25	
“ rubrum, 5-7 ft. ....	40	
“ “ 1½ in. ....	75	
“ “ 1¾ in. ....	1 00	
“ “ 2 in. ....	1 50	
“ “ 2½ in. ....	2 00	
“ “ 3 in. ....	2 50	
“ saccharum, 10-12 ft., 1¼ in. ....	65	60 00
“ “ 1½ in. ....	90	85 00
“ “ 1¾ in. ....	1 25	
“ “ 2 in. ....	2 00	
“ spicatum, 2½-3 ft. ....	20	15 00
Tatarica Ginnala, 4-5 ft. ....	30	25 00
“ “ 5-6 ft. ....	35	30 00
<b>AESCULUS</b> hippocastanum, 5-7 ft., 1¼ in. ....	40	35 00
“ “ 6-8 ft., 1½ in. ....	50	45 00
“ “ 8-9 ft., 1¾ in. ....	75	65 00
“ “ 9-10 ft., 2 in. ....	1 00	90 00
“ “ 2½ in. ....	1 50	125 00
“ “ 3 in. ....	2 00	
“ fl. pl., 1½ in. ....	1 00	
“ “ 1¾ in. ....	1 25	
“ rubicunda, 1½ in. ....	1 00	
“ “ 1¾ in. ....	125	
“ ruba fl. p. 1¾ in. ....	1 25	

	Each	Per 100
ALNUS glutinosa laciniata, 4-5 ft . . . . .	\$ 40	
AMELANCHIER botryapium, 4-5 ft . . . . .	20	
ARALIA spinosa, 6-8 ft . . . . .	30	\$25 00
BETULA alba, 4-6 ft . . . . .	20	12 00
" 6-8 ft . . . . .	25	20 00
" 8-10 ft . . . . .	35	25 00
" laciniata, 3-5 ft . . . . .	35	25 00
" " 5-7 ft . . . . .	40	35 00
" " 7-9 ft . . . . .	60	
" " 9-10 ft . . . . .	75	
" " 10-12 ft . . . . .	1 00	
" purpurea, 4-6 ft . . . . .	40	
" pyramidalis, 5-7 ft . . . . .	50	
" Youngi, 4-5 ft . . . . .	75	
" lenta, 8-10 ft . . . . .	50	
" papyrifera, 10-12 ft . . . . .	50	45 00
CARPINUS betulus, 3 ft . . . . .	15	12 00
CASTANEA japonica, 6-8 ft . . . . .	40	
CATALPA Bungei, 1 yr. No. 1 . . . . .	60	50 00
" 2 yrs. extra . . . . .	1 00	
" speciosa, 6-7 ft., 1 1/4 in . . . . .	25	20 00
" " 7-8 ft., 1 1/2 in . . . . .	35	30 00
" " 1 3/4 in . . . . .	60	50 00
" " 2 in . . . . .	75	70 00
CERCIDIPHYLLUM Japonica, 4-6 ft . . . . .	35	30 00
" " 7-9 ft . . . . .	50	
CERCIS—See SHRUBS.		
CLADRASTRIS tinctoria, 7-8 ft . . . . .	40	
" " 1 1/2 in . . . . .	75	
" " 2 in . . . . .	1 25	
CORNUS floridus seedlings, 1 yr., \$10.00 per M . . . . .		1 50
" " 2 yrs., trans., \$20.00 per M . . . . .		3 00
" " 2-3 ft . . . . .	15	8 00
" " 3-5 ft . . . . .	25	20 00
" " 5-6 ft . . . . .	35	30 00
" " 6-7 ft . . . . .	50	40 00
" " 7-9 ft . . . . .	75	
" " 7-9 ft., XX . . . . .	1 00	
" pendula, 3-5 ft . . . . .	50	
" rubra, 4-5 ft . . . . .	75	
" " 5-6 ft . . . . .	1 00	
CORNUS Kousa, 2 ft . . . . .	25	
Mas, 3-5 ft . . . . .	20	15 00
Mas., 6-8 ft . . . . .	35	
CRAETAGUS Crus Galli, 3 ft . . . . .	15	
" 3-4 ft . . . . .	18	15 00
Dbl. pink, red and white, 4-6 ft . . . . .	50	
DIOSPYROS Virginiana, 4-5 ft . . . . .	25	
FAGUS ferruginea, 3-4 ft . . . . .	35	
" 4-5 ft . . . . .	50	
Sylvatica, 4-6 ft . . . . .	30	
" 7-9 ft . . . . .	75	
" asplenifolia, 2-3 ft . . . . .	40	
" " 4-5 ft . . . . .	65	
" " 5-6 ft . . . . .	75	
" pendula, 4-5 ft . . . . .	60	
" " 5-7 ft . . . . .	75	
" purpurea, 2-3 ft . . . . .	30	28 00
" " 4-5 ft . . . . .	50	
" " pendula, 5-6 ft . . . . .	1 00	
Riversi, 3-4 ft . . . . .	40	
" 4-5 ft . . . . .	60	
" 5-7 ft . . . . .	75	
FRAXINUS Americana, 5-6 ft . . . . .	15	10 00
" 6-8 ft . . . . .	20	15 00
" excelsior, 8-10 ft . . . . .	25	
" " 1 1/2 in . . . . .	35	



	Each	Per 100
<b>FRAXINUS</b> Dawsoni, 8-10 ft., 1½ in . . . . .	\$ 50	
" 1¾ in . . . . .	75	
lanceolata, 1¼ in . . . . .	35	
" 1½ in . . . . .	40	
" 1¾ in . . . . .	50	
" 2 in . . . . .	60	
ornus, 4-5 ft . . . . .	15	\$10 00
" 5-7 ft . . . . .	20	15 00
quadrangulata, 8-10 ft . . . . .	30	
" 10-12 ft . . . . .	40	
<b>GLEDITSCHIA</b> triacanthos, 4-5 ft . . . . .	25	
<b>GLYPTOSTROTUS</b> Sinensis, 5-6 ft . . . . .	50	
" 6-7 ft . . . . .	75	
<b>GYMNOCLADUS</b> Canadensis, 7- 8 ft . . . . .	35	
" 8-10 ft . . . . .	50	
<b>HALESIA</b> tetraptera, 2-3 ft . . . . .	18	15 00
" 3-4 ft . . . . .	20	17 00
<b>HIBISCUS TREES</b> , 5-6 ft . . . . .	50	35 00
extra heavy, 6-8 ft . . . . .	60	50 00
<b>HYDRANGEA</b> P. G., trans. trees . . . . .	25	
<b>JUGLANS</b> , nigra, 2 in . . . . .	60	
regia, 2-3 ft . . . . .	25	
<b>KOELREUTERIA</b> paniculata, 3-4 ft . . . . .	25	20 00
" 8-9 ft . . . . .	50	
<b>LABURNUM</b> 3-4 ft . . . . .	25	
7 ft . . . . .	50	
<b>LARIX</b> Europea, 3-4 ft . . . . .	25	20 00
" 4-5 ft . . . . .	50	
Kæmpferi, 2½-3½ ft . . . . .	75	
<b>LIGUSTRUM</b> ovali., 18-20 in. heads, stem, 2½-4 ft . . .	1 00	
<b>LIQUIDAMBER</b> , 5-6 ft . . . . .	40	35 00
6-7 ft . . . . .	60	50 00
<b>LIRIODENDRON</b> tulipifera, 6- 8 ft . . . . .	30	25 00
" 1¼ in . . . . .	40	35 00
" 1½ in . . . . .	60	50 00
" 1¾ in . . . . .	75	60 00
" 2 in . . . . .	1 00	
<b>MAGNOLIA</b> all balled and burlapped.		
Alba Superba, } 3-4 ft . . . . .	1 00	
Alexandrina, } 3-4 ft . . . . .		
Glauc., } 3-4 ft . . . . .		
Lennei, } 3-4 ft . . . . .		
Soulangeana, } 3-4 ft . . . . .		
Amabilis, } 3-4 ft . . . . .		
Alba Superba, } 4-5 ft . . . . .	1 25	
Alexandrina, } 4-5 ft . . . . .		
Glauc., } 4-5 ft . . . . .		
Soulangeana, } 4-5 ft . . . . .		
Speciosa, } 4-5 ft . . . . .		
Alexandrina, } 5-7 ft., XX, budded . . . . .	2 00	
Soulangeana, } 5-7 ft., XX, budded . . . . .		
Speciosa, } 5-7 ft., XX, budded . . . . .		
Conspicua, true, trans., Spring, 1907, 4-5 ft.	2 50	
" imp., 3-4 ft . . . . .	1 50	
glauc., 2-3 ft . . . . .	60	
Hypoleuca, 5-7 ft . . . . .	2 50	
parviflora, single, 2-3 ft . . . . .	1 00	
" double, 2-3 ft . . . . .	1 25	
purpurea, 3 ft . . . . .	75	
stellata, 2 ft . . . . .	1 00	
tripelata, 4-5 ft . . . . .	30	
" 5-7 ft . . . . .	40	
<b>MORUS</b> Alba, 5-7 ft . . . . .	20	15 00
pendula, 2 yrs . . . . .	40	35 00
" 3 and 4 yr . . . . .	75	
<b>OXYDENDRON</b> arborea, 2-3 ft . . . . .	25	20 00
" 3-4 ft . . . . .	35	30 00

	Each	Per 100
<b>PAVIA</b> rubra, 6-8 ft . . . . .	\$ 50	
Whitleyi, 6 ft . . . . .	75	
<b>PHELLODENDRON</b> Amurense, 9-11 ft . . . . .	50	
<b>PLATANUS</b> Orientalis, 8-10 ft., 1 1/4 in . . . . .	60	\$55 00
" 1 1/2 in . . . . .	75	65 00
<b>POPULUS</b> alba, 6-8 ft . . . . .	20	
Bolleana, 12-14 ft . . . . .	50	
fastigiata, 6- 8 ft . . . . .	15	10 00
" 8-10 ft . . . . .	25	20 00
" 10-12 ft . . . . .	40	35 00
" low branched, 1 1/4 in., X . . . . .	65	60 00
" " 2 in., X . . . . .	75	
monilifera, 10 ft., 1 1/4 in, X . . . . .	25	20 00
" 10-12 ft., 1 1/2 in., X . . . . .	35	30 00
" 1 3/4 in . . . . .	60	
" Van Geertii, 7-10 ft . . . . .	25	
<b>PYRUS MALUS</b> Bechtels, } 4-5 ft . . . . .	50	
Parkmani } . . . . .		
<b>QUERCUS</b> alba, 6-7 ft . . . . .	75	
coccinea, 5-7 ft . . . . .	60	
" 1 1/2 in . . . . .	90	
macrocarpa, 5-6 ft . . . . .	50	
palustris, 7-9 ft., 1 1/4 in . . . . .	60	50 00
" 1 1/2 in . . . . .	85	80 00
" 1 3/4 in . . . . .	1 00	90 00
" 2 in . . . . .	1 25	120 00
robur, concordia, 6-7 ft . . . . .	1 00	
" purpurea, 2-3 ft . . . . .	75	
" pyramidalis, 7-9 ft., X . . . . .	1 25	
rubra, 6-7 ft . . . . .	60	50 00
" 1 1/4 in . . . . .	75	70 00
" 1 1/2 in . . . . .	85	
<b>RHUS</b> Osbecki, 10-12 ft., 2-2 1/2 in . . . . .	1 00	
<b>SALISBURIA</b> , 7- 8 ft . . . . .	40	35 00
8-10 ft . . . . .	60	50 00
10-12 ft., 1 1/2 in . . . . .	75	60 00
1 3/4 in . . . . .	1 00	
2 in . . . . .	1 25	
<b>SALIX</b> Babylonica, 6-7 ft . . . . .	20	15 00
" 7-9 ft . . . . .	25	20 00
" 1 1/2 in . . . . .	35	30 00
elegantissima, (Thurlovi), 7- 8 ft . . . . .	20	15 00
" " 8-10 ft . . . . .	25	20 00
" " 1 1/2 in . . . . .	35	30 00
" " 1 3/4 in . . . . .	40	
" " 2 in . . . . .	60	
pentandra, 3-4 ft . . . . .	15	10 00
" 5-7 ft . . . . .	20	
<b>SOPHORA</b> Japonica, 4-5 ft . . . . .	50	
" pendula . . . . .	1 00	
<b>TAXODIUM</b> distichum, 4-5 ft . . . . .	30	
" 5-6 ft . . . . .	35	
<b>TILIA</b> Americana, 1 1/4 in . . . . .	45	30 00
" 1 1/2 in . . . . .	65	40 00
" 1 3/4 in . . . . .	90	60 00
" 2 in . . . . .	1 00	85 00
" 2 1/4 in . . . . .	1 25	90 00
dasystyla, 9-10 ft., 1 1/2 in . . . . .	65	110 00
" 1 3/4 in . . . . .	90	60 00
" 2 in . . . . .	1 00	85 00
" 2 1/4 in . . . . .	1 25	
platyphylla, 1 1/4 in . . . . .	45	40 00
" 9-10 ft., 1 1/2 in . . . . .	65	60 00
" 1 3/4 in . . . . .	90	85 00
" 2 in . . . . .	1 00	90 00
" 2 1/4 in . . . . .	1 25	
laciniata, 5-6 ft . . . . .	75	



	Each	Per 100
<b>TILIA</b> tomentosa, 1½ in. ....	\$ 1 00	
“ 2-2½ in. ....	1 50	
“ pendula, 2 in. ....	1 50	
vulgaris (Europaea), 8-9 ft., 1½ in. ....	65	\$60 00
“ “ 1¾ in. ....	90	85 00
“ “ 2 in. ....	1 00	
“ “ 2¼ in. ....	1 25	
<b>ULMUS</b> Americana, 7-8 ft. ....	35	25 00
“ 1½ in. ....	50	40 00
“ 1¾ in. ....	75	70 00
“ 2 in. ....	1 00	90 00
“ 2¼ in. ....	1 25	100 00
“ 2½ in. ....	1 50	
“ 3-4 in. ....	3 00	
Montana, Dampieri Wredei, Golden Elm, beautiful, 4 ft. ....	50	
scabra Camperdowni, 3 yr. tops .....50 to	1 00	
<b>VIBURNUM</b> plicatum, tree form, 3-4 ft. ....	35	
<b>WISTARIA</b> trees ..... 1 50		

## DECIDUOUS SHRUBS

<b>AMYGDALUS</b> , pink, } on plum roots ..... \$ 20	\$ 16 00
white, }	
<b>ANDROMEDA</b> —see OXYDENDRON TREES.	
<b>ARALIA</b> pentaphylla, 3-4 ft. ....	15
<b>AZALEA</b> arborescens, 1-1½ ft. ....	25
“ 1½ ft. ....	35
calendulacea, 1-1½ ft. ....	25
“ 1½ ft. ....	35
Mollis, 1-1½ ft. ....	20
“ 1½ ft. ....	35
“ X. ....	50
“ 2 ft. ....	50
nudiflora, 1-1½ ft. ....	25
“ 1½ ft. ....	35
Pontica, 1-1½ ft. ....	35
“ 1½-2 ft. ....	50
“ 2 ft. ....	75
Vaseyi, 1-1½ ft. ....	25
“ 2 ft. ....	50
viscosa, 1½-2 ft. ....	35
“ 2-2½ ft. ....	50
“ heavy, 3-4 ft. ....	1 00
“ 4-5 ft. ....	1 00
“ 5-6 ft. ....	1 50
<b>BACCHARIS</b> halimifolia, 2-3 ft. ....	15
“ 3-4 ft. ....	20
<b>BERBERIS</b> Thunbergi, trans., 6-12 in. ....	05
“ “ 1-1½ ft. ....	08
“ “ 1½-2 ft. ....	12
“ “ 2-3 ft. ....	15
vulgaris, 1½-2 ft. ....	12
“ 2-3 ft. ....	12
“ 3-3½ ft. ....	15
“ purpurea, 1-1½ ft. ....	10
“ 2-2½ ft. ....	15
<b>CALLICARPA</b> purpurea, 2-3 ft. ....	15
<b>CALYCANTHUS</b> floridus, 1½ ft. ....	10
“ 1½-2 ft. ....	10
“ 2-3 ft. ....	15
<b>CARAGANA</b> arborescens, 1½-2 ..... 10	8 00
<b>CARYOPTERIS</b> mastacanthus, 1-1½ ft., field grown ... 10	8 00
<b>CEANOTHUS</b> Americanus, 2-3 ft. ....	15
<b>CEPHALANTHUS</b> Occidentalis, 2-3 ft. ....	12
“ 3-4 ft. ....	15



	Each	Per 100
<b>CERIS</b> Canandensis, 2-3 ft . . . . .	\$ 15	\$12 00
"      3-4 ft . . . . .	25	20 00
"      5-7 ft . . . . .	35	
Japonica, 2-3 ft . . . . .	20	18 00
"      3-4 ft . . . . .	25	
<b>CHIONANTHUS</b> Virginica, 2-3 ft . . . . .	20	
"      3-4 ft . . . . .	30	25 00
"      4-5 ft . . . . .	35	
<b>CLETHRA</b> alnifolia, 1½-2 ft . . . . .	10	8 00
"      2-3 ft . . . . .	12	10 00
"      3-4 ft . . . . .	15	12 00
<b>COLUTEA</b> arborescens, 1½-2 ft . . . . .	10	8 00
"      2-3 ft . . . . .	12	10 00
<b>CORNUS</b> alba, 2-3 ft . . . . .	15	
paniculata, 1½-2 ft . . . . .	10	8 00
"      2-3 ft . . . . .	15	10 00
"      3-4 ft . . . . .	15	12 00
sericea, 1½-2 ft . . . . .	10	8 00
"      2-3 ft . . . . .	15	10 00
"      3-4 ft . . . . .	15	12 00
Spathi aurea, 2-3 ft . . . . .	20	
<b>CORYLUS</b> avellana, 1½-2 ft., named sorts . . . . .	15	12 00
"      laciniata, 2-2½ ft. . . . .	25	
"      purpurea, 1½-2 ft . . . . .	20	18 00
"      "      2-3 ft . . . . .	25	20 00
<b>CYDONIA</b> Japonica, 1½-2 ft . . . . .	12	10 00
"      2 -2½ ft . . . . .	15	12 00
<b>DAPHNE</b> Mezereum, 6-10 in . . . . .	25	
<b>DEUTZIA</b> gracilis, 1-1½ ft . . . . .	08	6 00
"      1½-2 ft . . . . .	10	8 00
candida, crenata, Pride of Rochester, 2-3 ft . . . . .	10	8 00
"      "      "      3-4 ft . . . . .	12	10 00
"      4-5 ft . . . . .	15	12 00
<b>DIERVILLA</b> amabilis } Carriere } E. Rathke } florabunda } rosea } variegata } amabilis } candida } Lavallei } rosea } variegata } amabilis } candida } rosea } trifida, 2-3 ft . . . . .	2-3 ft . . . . .	12 10 00
amabilis } candida } Lavallei } rosea } variegata } amabilis } candida } rosea } trifida, 2-3 ft . . . . .	3-4 ft . . . . .	15 12 00
amabilis } candida } rosea } trifida, 2-3 ft . . . . .	4-5 ft . . . . .	20 15 00
<b>ELEAGNUS</b> longipes, 2-3 ft . . . . .	12	10 00
"      2-3 ft . . . . .	10	8 00
"      3-4 ft . . . . .	15	12 00
<b>EUONYMOUS</b> alatus, 3-4 ft . . . . .	50	
Europæa, 2-3 ft . . . . .	10	
"      5-6 ft . . . . .	20	
Yeddoensis, 1½ ft . . . . .	12	10 00
<b>EXOCHORDA</b> grandiflora, 2-3 ft . . . . .	15	12 00
"      3-4 ft . . . . .	20	15 00
<b>FORSYTHIA</b> Fortunei, } intermedia, } suspensa, } viridissima, } Fortunei, } intermedia, } suspensa, } viridissima, } intermedia, } suspensa, }	2-3 ft . . . . .	10 8 00
intermedia, } suspensa, } viridissima, } intermedia, } suspensa, }	3-4 ft . . . . .	15 12 00
intermedia, } suspensa, }	4-5 ft . . . . .	20 15 00
<b>HALESIA</b> —See TREES.		

	Each	Per 100
<b>HAMAMELIS</b> Virginiana, 2-3 ft	\$ 10	\$ 8 00
"          3-4 ft	15	12 00
<b>HIBISCUS</b> named, 2-3 ft	10	8 00
"          3-4 ft	15	10 00
"          4-6 ft	20	
totus albus, 2-3 ft	15	10 00
"          3-4 ft	15	12 00
"          4-6 ft	20	15 00
Variegata, 2-3 ft	15	10 00
<b>HIPPOPHAEA</b> rhamnoides, 1½ ft	10	8 00
<b>HYDRANGEA</b> arborescens, 3-4 ft	15	
"          alba, 2-2½ ft	25	
Hortensia, 10-15 in	20	
paniculata grandiflora, 2-3 ft	10	8 00
"          3-4 ft	15	10 00
tardiva, 4-5 ft	20	
<b>HYPERICUM</b> densiflorum, 2-3 ft	15	
Moserianum, 1-1½ ft	12	10 00
<b>ILEX</b> glabra, 2-3 ft	25	
<b>ITEA</b> Virginiana, 2-3 ft	15	10 00
<b>JASMINUM</b> nudiflora, 1-1½ ft	12	10 00
<b>LESPEDEZA</b> (Desmodium), 3 yrs	20	
<b>LIGUSTRUM</b> Ibota, 3-4 ft	10	
"          4-5 ft	20	
"          media prostrata, 3 ft	20	
Regelianum, 2 ft	10	7 00
ovalifolium, 1½-2 ft., 1 yr	per M. 15 00	2 00
"          2-3 ft	per M. 25 00	3 00
"          3-4 ft	per M. 35 00	4 00
"          4-6 ft	per M. 50 00	6 00
XX, 4-6 ft		8 00
"          aureum, 1-1½ ft	15	
<b>LINDERA</b> benzoin, 2-3 ft	12	10 00
"          3-4 ft	20	15 00
<b>LONICERA</b> fragrantissima, 2-3 ft	12	10 00
"          3-4 ft	15	12 00
Morrowi, 2-3 ft	10	8 00
"          3-4 ft	12	10 00
"          4-5 ft	15	12 00
Tatarica alba,	} 1½-2 ft	8 00
rosea,		
rubra,		
rosea, rubra, 3-4 ft	12	10 00
<b>MYRICA</b> cerifera, 4-5 ft	25	
<b>PAVIA</b> machrostachya, 1½ ft	35	
<b>PHILADELPHUS</b> coronarius,	} 2-3 ft	10 00
grandiflora,		
Lemoinei,		
laxus,	} 3-4 ft	12 00
coronarius,		
grandiflora,		
laxus,		
coronarius, aurea, 1-2 ft	15	10 00
<b>POTENTILLA</b> fruticosa, 1½-2 ft	10	
<b>PRINOS</b> verticillatus, 2-3 ft	15	14 00
<b>PYRUS</b> arbutifolia, 4-5 ft	20	
<b>RHODORA</b> Canadensis, 1-1½ ft	35	
<b>RHODOTYPUS</b> kerrioides, 2-3 ft	10	8 00
"          3-4 ft	15	10 00
"          4-5 ft	20	
<b>RHUS</b> cotinus, 2-3 ft	15	12 00
"          3-4 ft	20	15 00
"          4-6 ft	25	
"          atrosanguinea, 3-4 ft	20	
"          4-5 ft	25	
glabra laciniata, 2-3 ft	15	
typhina laciniata, 2-3 ft	15	



	Each	Per 100
<b>RIBES sanguineum</b> , 2-3 ft . . . . .	\$ 15	
<b>ROSA</b> blanda, 2-3 ft . . . . .	10	\$ 8 00
multiflora, 2-3 ft . . . . .	10	8 00
rubiginosa, 4-5 ft . . . . .	12	10 00
rubrifolia, 2-3 ft . . . . .	12	10 00
" 3-4 ft . . . . .	15	12 00
rugosa, 1½-2 ft . . . . .	10	
" 2-3 ft . . . . .	12	10 00
" 3-4 ft . . . . .	20	
" alba, 1½-2 ft . . . . .	15	10 00
" 2-3 ft . . . . .	18	
" 3-4 ft . . . . .	20	
setigera, 2-3 ft . . . . .	12	8 00
Wichuraiana, 2 yrs . . . . .	10	
<b>SAMBUCUS</b> laciniata, 2-3 ft . . . . .	12	10 00
" 3-4 ft . . . . .	15	10 00
nigra aurea, 2-3 ft . . . . .	10	8 00
" 4-5 ft . . . . .	20	
<b>SPIRAEA</b> Billardi, 2-3 ft . . . . .	12	10 00
Bumalda, } 1-1½ ft . . . . .	10	7 00
A. Waterer, } . . . . .		
A. Waterer, } 2-2½ ft . . . . .	15	10 00
Bumalda, } . . . . .		
Callosa rubra, } 2-3 ft . . . . .	12	8 00
Rotundifolia, } . . . . .		
Van Houtei } . . . . .		
Opulifolia, } 3-4 ft . . . . .	12	10 00
" aurea, } . . . . .		
Rotundifolia, } . . . . .		
Van Houtei, } . . . . .		
Prunifolia, 2-3 ft . . . . .	15	12 00
" 3-4 ft . . . . .	20	15 00
Reevesii, } 1½-2 ft . . . . .	10	8 00
Thunbergi, } . . . . .		
Reevesii, fl. pl., 1½ ft . . . . .	10	8 00
" and Reevesi, fl. pl., 2-3 ft . . . . .	12	10 00
" 3-4 ft . . . . .	15	12 00
Reevesi, } 2-2½ ft . . . . .	12	10 00
Thunbergi, } . . . . .		
<b>STEPHANANDRA</b> flexuosa, 2-3 ft . . . . .	12	9 00
" 3-4 ft . . . . .	15	10 00
" 4-5 ft . . . . .	20	15 00
<b>STUARTIA</b> pentagyna, 4-6 ft . . . . .	35	
<b>STYRAX</b> Japonica, 4-5 ft . . . . .	20	15 00
" 5-6 ft . . . . .	25	20 00
<b>SYMPHORICARPUS</b> racemosus, 2-3 ft . . . . .	10	8 00
" 3-4 ft . . . . .	15	10 00
vulgaris, 2-3 ft . . . . .	10	8 00
" 3-4 ft . . . . .	15	10 00
<b>SYMPLOCOS</b> crætageoides, 1½-2 ft., blue berries, fine . . . . .	20	15 00
<b>SYRINGA</b> Japonica, 5-6 ft . . . . .	25	
Persica, } 2-3 ft . . . . .	20	18 00
Persica alba } . . . . .		
Rothomagensis } . . . . .		
Villosa, 3-4 ft . . . . .	20	
vulgaris, } 2-3 ft . . . . .	15	12 00
vulgaris alba } . . . . .		
vulgaris, 3-4 ft . . . . .	20	15 00
vulgaris alba, 4-5 ft . . . . .	25	
vulgaris Chas. X, } 2-3 ft . . . . .	20	
" Rubra de Marly, } . . . . .		
" Souv. de Spæth, } . . . . .		
" Bertha Dammann, } 3-4 ft . . . . .	25	
" Mad. Lemoine, } . . . . .		
" M. Le Gray, } . . . . .		
" Rubra de Marly, } . . . . .		

		Each	Per 100
<b>TAMARIX</b>	Africana, } 2-3 ft . . . . .	\$ 10	\$ 6 00
	Odessana, }		
	Africana, } 5-6 ft . . . . .	20	15 00
	Indica, }		
<b>VIBURNUM</b>	cassinoides, 1½-2 ft . . . . .	15	10 00
	" 2 -3 ft . . . . .	18	12 00
	dentatum, 2-3 ft . . . . .	10	6 00
	" 3-4 ft . . . . .	12	10 00
	" 4-5 ft . . . . .	15	12 00
	dilatatum, 3-4 ft . . . . .	15	12 00
	lantanum, 2-3 ft . . . . .	12	
	" 4-5 ft . . . . .	20	15 00
	molle, 3-4 ft . . . . .	15	12 00
	opulus, 2-3 ft . . . . .	12	10 00
	" 3-4 ft . . . . .	15	12 00
	" 4-5 ft . . . . .	20	15 00
	" nana, 10-15 in. . . . .	15	12 00
	" 12-15 in., X . . . . .	20	
	" sterilis, 2-3 ft . . . . .	12	10 00
	plicatum, 2-3 ft . . . . .	15	12 00
	" 3-4 ft . . . . .	18	15 00
	" 4-5 ft . . . . .	25	
	pyrifolium, 4-5 ft . . . . .	25	
	rugosum, 2-3 ft . . . . .	15	
	" 4-5 ft . . . . .	25	20 00
	Sieboldi, 1-1½ ft . . . . .	15	12 00
	" 4-6 ft . . . . .	35	
<b>VITUS</b>	agnus castus, 3-3½ ft . . . . .	18	15 00
<b>XANTHOCERAS</b>	sorbifolia, 1½-2 ft . . . . .	20	15 00
<b>XANTHORRHIZA</b>	apiifolia, 10-15 in . . . . .	12	10 00

## VINES

		Each	Per 100
<b>AMPELOPSIS</b>	heterophylla, 4 yrs . . . . .	\$ 15	
	quinquefolia, 2 yr . . . . .	10	\$ 7 00
	Veitchi, No. 1 . . . . .	10	8 00
	" XX . . . . .	15	10 00
<b>ARISTOLOCHIA</b> , 3 yrs . . . . .		30	25 00
<b>BIGNONIA</b> grandiflora, 3 yrs . . . . .		20	
	radicans, 2 yrs . . . . .	10	8 00
<b>CELASTRUS</b> scandens, 4 yrs . . . . .		15	12 00
<b>CLEMATIS</b> Jackmani, Henryi . . . . .		25	20 00
	paniculata, 2 yrs . . . . .	10	8 00
	" 3 yrs . . . . .	15	
<b>LONICERA</b> Halleana . . . . .		10	8 00
	reticulata aurea, . . . . .	10	8 00
	sempervirens, 2 yrs . . . . .	15	
<b>PERIPLOCA</b> græca, 2 yr . . . . .		15	10 00
<b>VINCA</b> Minor . . . . .		10	5 00
	" alba . . . . .	10	5 00
<b>WISTARIA</b> multijuga, 2-3 ft . . . . .		20	15 00
	" alba, 2 ft . . . . .	20	15 00
	Sinensis, 2 ft . . . . .	20	15 00
	" 4 ft., X . . . . .	25	
	" alba, 2 ft . . . . .	25	

## EVERGREENS

All of our Evergreens are 1 and 2 yrs. trans. and in best possible condition. Most of them are specimens. All are 2-3 and more times transplanted. All evergreens priced at 50c or more each will be balled and burlapped.

		Each	Per 100
<b>ABIES</b>	concolor, 2 ft . . . . .	\$1 00	
	" 2-3 ft . . . . .	2 00	
	" 3-4 ft . . . . .	3 00	
	Fraseri, 2-3 ft . . . . .	35	



	Each	Per 100
<b>ABIES</b> Fraseri, 3-4 ft. ....	\$ 60	
Nobilis glauca, 2½-3 ft. ....	1 50	
Nordmaniana, 1-1½ ft., XX .....	60	\$ 50 00
" 1½-2 ft., XX .....	85	75 00
" 2-3 ft., XX .....	1 50	
" 3-4 ft., XX .....	2 00	
pectinata, 2-3 ft. ....	50	
Veitchi, 2½ ft. ....	1 00	
<b>ANDROMEDA</b> florabunda, 12 in. ....	90	85 00
" 15 in. ....	1 00	
Japonica, 12-15 in. ....	75	60 00
" 1½ ft. ....	1 00	
<b>AZALEA</b> amcena, 10-15 in., from beds .....	15	12 00
" 12-15 in. ....	50	
" 15-20 in., XX .....	75	
<b>BIOTA</b> Orientalis, 1-1½ ft. ....	20	15 00
Berckmans, 1-1½ ft. ....	35	30 00
elegantissima, 1-1½ ft. ....	25	20 00
" 2½ ft. ....	40	
semper aurea, 12-18 in. ....	50	
<b>BUXUS</b> bushes, 1 ft. ....	25	20 00
" 1½ ft. ....	35	30 00
" 1½-2 ft. ....	50	45 00
" 2-2½ ft. ....	75	70 00
pyramids, 3 ft. ....	1 50	
" 4 ft. ....	2 50	
standards, 16-20 in diameter .....	1 50	
" 18-24 in. ....	2 50	
suffruticosa, 3-5 in., per M. \$20.00 .....		3 00
" extra 4-6 in., per M. \$40.00 .....		5 00
<b>CEDRUS</b> Atlantica glauca, 4-5 ft. ....	1 50	
Deodora, 1½-2 ft. ....	75	
Libani, 2-2½ ft. ....	2 00	
<b>CRYPTOMERIA</b> Lobbi, 2-3 ft. ....	75	
" 5 ft. ....	2 00	
<b>DAPHNE</b> cneorum, 8-12 in. ....	35	
<b>EUONYMUS</b> radicans, 12-15 in. ....	10	8 00
" variegata, 8-12 in. ....	10	8 00
<b>ILEX</b> crenata, 1½-2 ft. ....	30	25 00
" 2-3 ft. ....	60	50 00
" 3-3½ ft. ....	75	
<b>JUNIPERUS</b> communis, 1½-2 ft. ....	25	
" 2-3 ft. ....	30	25 00
" aurea, diameter, 8-12 in. ....	15	10 00
Hibernica, 1½-2 ft. ....	12	7 00
" 2-2½ ft. ....	20	15 00
Japonica, 2 ft. ....	25	
" 2½ ft. ....	50	
" aurea, 2 ft. ....	75	
" 2½ ft. ....	1 00	
sabina, 12-15 in. ....	20	15 00
" 1½-2 ft. ....	30	
suecica, 2-3 ft. ....	25	20 00
stricta, 12-15 in. ....	25	20 00
Virginiana, 3-3½ ft. ....	35	
" glauca, 2 ft. ....	60	
" 3 ft. ....	1 00	
" Pfitzeri, 1½ ft. ....	60	
<b>KALMIA</b> latifolia, nur. grown, 1-1½ ft., XX .....	50	40 00
" 2 ft., XX .....	75	60 00
collected in car lots, 1½-4 ft. ....	35 to 1 00	
<b>LEUCOTHOE</b> Catesbaei, 1-1½ ft. ....	20	15 00
<b>MAHONIA</b> aquifolia, 1-1½ ft. ....	10	8 00
<b>PICEA</b> alba, 2 ft. ....	40	35 00
" 2½ ft. ....	50	
" 3-4 ft. ....	75	
" cerulea, 3-4 ft. ....	1 00	

		Each	Per 100
<b>PICEA</b>	<i>Alcockiana</i> , 2-3 ft . . . . .	\$ 75	
	" 3 ft . . . . .	1 00	
	<i>Englemanni</i> , 2-3 ft . . . . .	1 50	
	" 3-4 ft . . . . .	3 00	
	<i>excelsa</i> , 1-1½ ft. . . . .	10	\$ 5 00
	" 1½-2 ft. . . . .	15	10 00
	" 2-3 ft. . . . .	25	20 00
	" 3-4 ft. . . . .	50	35 00
	" 5-6 ft. . . . .	1 25	
	" <i>aurea</i> , 3-4 ft . . . . .	75	
	" <i>conica</i> , 2½-3 ft. . . . .	1 00	
	" <i>inverta</i> , 2-3 ft . . . . .	75	
	" " 3-4 ft . . . . .	1 00	
<b>PICEA</b>	<i>excelsa pumila</i> , 1-1½ ft . . . . .	60	
	<i>nigra</i> , 1½ ft. . . . .	35	
	" <i>doumette</i> , 2-3 ft . . . . .	75	
	" <i>mariana</i> , 2-3 ft . . . . .	25	
	" " 3-5 ft . . . . .	50	
	<i>polita</i> , 1½-2 ft. . . . .	50	
	" 2-3 ft . . . . .	75	
	<i>Orientalis</i> , 1½-2 ft . . . . .	50	
	" 2-3 ft . . . . .	85	75 00
	" 3-4 ft . . . . .	1 50	
	" 4-5 ft . . . . .	1 75	
	<i>pungens</i> , 1½-2 ft. . . . .	50	40 00
	" 2-3 ft . . . . .	75	65 00
	" 3-4 ft . . . . .	1 00	
	" <i>Blue</i> , better form and nearly as good color as <i>Kosteri</i> , 2 ft . . . . .	1 75	
	" " 3 ft . . . . .	3 00	
	" " 3½-4 ft . . . . .	4 00	
	<i>pungens</i> , <i>Kosteri compacta</i> , 1½ ft . . . . .	1 25	
	" " " <i>compacta</i> , 2 ft . . . . .	2 00	
	" " " " 2½ ft . . . . .	3 00	
	" " " <i>specimens</i> , 3 ft . . . . .	5 00	
	" " " " 4 ft . . . . .	6 00	
	" " " <i>pendula</i> , 2-2½ ft . . . . .	2 50	
	" " " " 3 ft . . . . .	5 00	
	" " " " 3½-4 ft . . . . .	6 00	
<b>PINUS</b>	<i>Austriaca</i> , 2-3 ft . . . . .	35	30 00
	" 3-3½ ft . . . . .	60	
	<i>cembra</i> , 2 ft . . . . .	60	
	" 2½ ft . . . . .	90	
	" 3 ft . . . . .	1 00	
	<i>densiflora</i> , 1½ ft . . . . .	50	
	<i>excelsus</i> , 2-3 ft . . . . .	50	40 00
	" 3-4 ft . . . . .	75	65 00
	" 4-5 ft . . . . .	1 00	
	<i>Mughus</i> , diameter, 1-1½ ft . . . . .	40	
	<i>parviflora</i> , glauca, 3-4 ft . . . . .	1 50	
	" " 4-5 ft . . . . .	2 00	
	<i>resinosa</i> , 2-2½ ft . . . . .	75	
	<i>strobus</i> , 1½-2 ft . . . . .	20	
	" 2-3 ft . . . . .	25	20 00
	" 3-4 ft . . . . .	40	35 00
	" 4-5 ft . . . . .	75	60 00
	" 5-6 ft . . . . .	1 00	
	<i>sylvestris</i> , 1½-2 ft. . . . .	20	15 00
	" 2-2½ ft. . . . .	35	
<b>PSEUDOTSUGA</b>	<i>Douglasii</i> , 1½-2 ft . . . . .	20	15 00
	" 2-3 ft . . . . .	35	30 00
	" 3-4 ft . . . . .	1 00	
	" 4-5 ft . . . . .	1 50	
	" 6-7 ft . . . . .	2 50	
<b>RETINISPORA</b>	<i>filifera</i> , 12-18 in . . . . .	25	20 00
	" 2 ft . . . . .	50	
	" <i>specimens</i> , 2½-3 ft . . . . .	1 00	



	Each	Per 100
<b>RETINISPORA</b> filifera, 3-4 ft . . . . .	\$1 50	
“ aurea, 10-12 in . . . . .	30	\$25 00
“ “ 12-15 in . . . . .	1 00	
“ “ 15-18 in., XX . . . . .	1 25	
“ “ 1½-2 ft. . . . .	1 50	
lycopodoides, 2 ft. . . . .	1 00	
obtusa, 2½-3 ft . . . . .	1 00	
“ 3-4 ft . . . . .	1 25	
“ aurea specimens, 3 ft . . . . .	1 25	
“ compacta, 1½-2 ft. . . . .	40	35 00
“ “ 2 ft. . . . .	50	
“ gracilis, 1½-2 ft . . . . .	60	
“ “ aurea, 1½-2 ft . . . . .	85	
“ “ “ 2-3 ft . . . . .	1 00	
“ “ “ 3-3½ ft . . . . .	1 50	
pisifera, 1½ ft . . . . .	25	20 00
“ 2-3 ft . . . . .	50	
“ aurea, 1½ ft. . . . .	30	
“ “ 2-2½ ft. . . . .	50	40 00
“ “ 2½-3 ft. . . . .	75	
plumosa, 1-1½ ft . . . . .	20	15 00
“ 1½-2 ft . . . . .	35	25 00
“ 2-3 ft . . . . .	50	45 00
“ 3-4 ft . . . . .	1 50	
“ 4-5 ft . . . . .	1 75	
“ aurea, 1-1½ ft . . . . .	20	15 00
“ “ 1½-2 ft . . . . .	35	25 00
“ “ 2-2½ ft . . . . .	50	40 00
“ “ 3-4 ft . . . . .	1 50	
“ “ 4-5 ft . . . . .	1 75	
“ argentea, 10 in . . . . .	25	15 00
“ “ 2-2½ ft . . . . .	50	
“ squarrosa, 1-1½ ft . . . . .	25	18 00
“ “ 1½-2 ft . . . . .	40	35 00
“ “ 2-2½ ft . . . . .	75	
“ “ 4 ft . . . . .	1 75	
“ sulphurea, 2 ft . . . . .	50	
“ “ 2½-3 ft . . . . .	1 00	
<b>RHODODENDRONS</b> hybrids in variety, 1½-2 ft . . . . .	90	70 00
“ “ 2-2½ ft . . . . .	1 25	115 00
“ “ 2½-3 ft . . . . .	1 50 to 2	00 each
Only best hardy roots offered.		
maximum, nursery grown, 1½-2 ft . . . . .	60	50 00
“ “ “ 2-2½ ft . . . . .	1 00	85 00
“ “ “ 3-4 ft . . . . .	1 50	125 00
“ “ 4-5 ft. . . . .	3 00	
maximum in car lots, 1½-4 ft . . . . .	35 to 1	00 each
<b>SCIADOPYTIS</b> verticillatus, 2-3 ft., imported . . . . .	1 50	
“ 2-3 ft., XX . . . . .	3 00	
“ 3-4 ft., XX . . . . .	4 00	
“ 4-5 ft., XX . . . . .	6 00	
“ 5-6 ft., XX . . . . .	8 00	
<b>TAXUS</b> baccata, English Yew, 3-4 ft . . . . .	1 75	
“ Hibernica, Irish Yew, 3-4 ft . . . . .	1 75	
“ “ aurea, 3 ft . . . . .	1 75	
“ Washingtonia, hardy golden Yew . . . . .	2 00	
“ 2-2½ ft . . . . .	1 00	
brevifolia, 1½ ft . . . . .	1 25	
“ 2-2½ ft . . . . .	50	40 00
repandens, 10-15 in . . . . .	10	5 00
<b>THUYA</b> Occidentalis, 1-1½ ft . . . . .	10	8 00
“ 3 times trans., 1½-ft. . . . .	12	9 00
“ “ 1½-2 ft. . . . .	18	12 00
“ “ 2-2½ ft. . . . .	25	20 00
“ “ 2½-3 ft. . . . .	35	27 00
“ “ 3-4 ft. . . . .		

		Each	Per 100
THUYA	Occidentalis compacta, { 12-15 in.....	\$ 20	\$15 00
	" Hoveyi, {		
	" compacta, { 18 in.....	25	17 00
	" Hoveyi, {		
	" lutea (Geo. Peabody), 1½-2 ft .	50	
	" " 2-3 ft . . .	75	
	" pyramidalis, 1½-2 ft . . . . .	20	15 00
	" " 2-2½ ft . . . . .	30	25 00
	" " 3-3½ ft . . . . .	50	
	" Siberica, 1-1½ ft . . . . .	15	12 00
	" " 1½-2 ft . . . . .	20	18 00
	" " 2-2½ ft . . . . .	30	25 00
THUYOPSIS	Standishi, very hardy, 3-4 ft . . . . .	1 00	
TSUGA	Canadensis, 1½-2 ft . . . . .	35	25 00
	" 2-2½ ft . . . . .	45	35 00
	" 2½-3 ft . . . . .	60	50 00
	" 3-4 ft . . . . .	80	70 00
	" 4-5 ft . . . . .	1 25	110 00
	Carolinensis, 2-3 ft . . . . .	75	
YUCCA,	2 yrs . . . . .	10	6 00
	4 yrs., XX . . . . .	15	

## ROSES

DOROTHY PERKINS,	2 yrs . . . . .	\$ 15	\$ 10 00
" "	3 yrs . . . . .	20	12 00
HYBRIDS	in all colors, named . . . . .	15	13 00
MOSS.	. . . . .	15	
RAMBLERS,	2 yrs., No. 1 . . . . .	12	10 00
	3 yrs., X . . . . .	20	15 00
TREE,	assorted . . . . .	35	30 00
WILD ROSES	—see SHRUBS.		

## HERBACEOUS PLANTS

ACHILLEA	ptarmica . . . . .	\$ 10	\$ 6 00
AMSONIA	salicifolia . . . . .	10	
ANEMONE	alba, {		
	Queen Charlotte, { . . . . .	10	6 00
	Whirlwind, {		
ANTHEMIS	tinctoria . . . . .	10	6 00
AQUILEGIA	mixed . . . . .	10	
ARMERIA	maritima . . . . .	10	
ASTER	Novæa Anglæa, {		
	Tataricus, { . . . . .	10	6 00
ASTILBE	Japonica . . . . .	10	6 00
BAMBUSA	Metake . . . . .	15	
BOCCONIA	cordata . . . . .	10	
BOLTONIA	glastifolia, {		
	latisquama, { . . . . .	10	5 00
CHRYSANTHEMUM	named sorts . . . . .	10	6 00
CLEMATIS	Davidiana . . . . .	10	
CAMPANULA	media, persicifolia . . . . .	10	6 00
CONVALLARIA	majalis (divided) . . . . .	05	4 00
COREOPSIS	lanceolata . . . . .	10	5 00
DAHLIAS	named . . . . .	10	7 00
DELPHINIUM	formosum . . . . .	10	6 00
DIANTHUS	barbatus, plumarius, heavy clumps . . . . .	10	5 00
DICENTRA	spectabilis . . . . .	10	
DIGITALIS	purple, white, heavy . . . . .	10	6 00
ERYNGIUM	planum . . . . .	10	
EULALIA	in variety (divided) . . . . .	10	5 00
FUNKIA	sub cordata alba . . . . .	15	
	variegata . . . . .	10	6 00
GALLARDIA	grandiflora . . . . .	10	6 00
GYPSOPHYLLA	paniculata . . . . .	10	



	Each	Per 100
<b>HELIOPSIS</b> Pitcheriana .....	\$ 10	
<b>HEMEROCALLIS</b> flava, .....	10	\$ 8 00
Thunbergi, } .....		
<b>HIBISCUS</b> militaris, } .....	10	6 00
moscheutos, } .....		
<b>HOLLYHOCK</b> pink, red, salmon, white and yellow. ....	10	5 00
<b>IRIS</b> Germanica, 7 varieties named .....	10	6 00
Kämpferi, 23 varieties .....	10	6 00
Orientalis, (intense blue) .....	10	5 00
<b>LIATRIS</b> .....	10	
<b>LOBELIA</b> cardinalis .....	10	6 00
<b>LYCHNIS</b> Chalcedonica .....	10	6 00
viscaria .....	10	
<b>MONARDA</b> didyma .....	10	5 00
<b>MYOSOTIS</b> palustris .....	10	6 00
<b>PAEONIA</b> X strong divisions		
Agida, dark red .....	15	10 00
Andre Laurie, dark rose, late .....	15	10 00
Beauty of Francois, clear pink .....	15	10 00
Canisto, silvery rose .....	15	10 00
Delachi, red .....	15	10 00
Duchess de Orleans, rose with violet .....	15	10 00
Duke of Wellington, sulphur white, new. ....	25	
Edulis Superba, soft violet .....	15	10 00
Emperor, crimson .....	15	
Esperance, bright pink .....	15	10 00
Festiva Maxima, white .....	20	15 00
Floral Treasure, delicate pink .....	15	10 00
Formosa, rose .....	15	10 00
Golden Harvest, yellow .....	15	10 00
Grandiflora, alba, white .....	15	10 00
" rubra, red .....	15	10 00
Humeyi, pink, late .....	15	10 00
<b>PAEONIA</b> Lady Bramwell, pink .....	15	10 00
Lilacea Superba, lilac .....	15	
Mathilde, rose .....	15	10 00
Officinalis Rubra, early red .....	15	
Pottsi, red .....	15	10 00
Queen Victoria, white .....	15	10 00
Rosea Elegans, rose .....	15	10 00
Tree, Moutan .....	75	
Victoria Tricolor .....	15	10 00
<b>PENTSTEMON</b> barbatus Torreyi. ....	10	6 00
<b>PHLOX</b> subulata pink and white .....	10	6 00
decussata, 12 best sorts .....	10	7 00
<b>PLATYCODON</b> grandiflorum .....	10	6 00
<b>POTENTILLA</b> formosum .....	10	
<b>PYRETHRUM</b> mixed double .....	15	12 00
uliginosum .....	10	5 00
<b>RUDBECKIA</b> laciniata .....	10	5 00
<b>SALVIA</b> azurea .....	10	5 00
<b>SEDUM</b> Silksianum, } .....	10	
spectabalis, } .....		
<b>SPIRAEA</b> palmata elegans .....	10	
<b>STOKESIA</b> cyanea. ....	10	6 00
<b>TRADESCANTIA</b> Virginica, .....	10	5 00
Virginica alba, } .....		
<b>TRITOMA</b> Pfitzeri .....	10	6 00
<b>VERONICA</b> amethystina .....	10	
spicata .....	10	
subsessilis .....	10	
	10	6 00
<b>FRUIT TREES</b>		
<b>APPLE</b> 7/8 in., extra .....	\$ 25	Per 100
1 in., double extra .....	50	
<b>APRICOTS</b> first class .....	25	

	Each	Per 100
<b>CHERRY</b> $\frac{3}{4}$ in., first class .....	\$ 35	
$\frac{7}{8}$ in., extra .....	50	
<b>FILBERT</b> named, $1\frac{1}{2}$ -2 ft .....	15	
<b>PEACHES</b> first class .....	12	\$10 00
extra .....	20	
<b>PEARS</b> dwarf .....	20	
Standard, $\frac{3}{4}$ in., first class .....	25	20 00
“ Bartlett and Seckel .....	35	
“ $\frac{7}{8}$ in., extra .....	35	
“ Bartlett and Seckel .....	50	
<b>PEARS</b> 1 in., and up .....	50	
<b>PLUMS</b> European and Japan, first class .....	20	
“ extra .....	30	
<b>QUINCE</b> Champion, } .....	25	
Orange, } .....		
Champion, extra, } .....	35	
Orange, “ } .....		
<b>ASPARAGUS</b> 2 yrs .....		50
<b>BLACKBERRY</b> in variety .....		2 00
<b>CURRANTS</b> first class in variety .....	10	5 00
<b>GOOSEBERRY</b> American varieties .....	10	8 00
English .....	15	12 00
<b>GRAPES</b> , 2 yrs .....	10	6 00
Agawam, Concord, Brighton, Moore's Dia-		
mond, M. Early, Niagara, Salem, Worden.		
<b>RASPBERRY</b> .....		2 00
Cuthbert, Golden Queen, Gregg, Kansas,		
Marlboro, Miller.		
<b>RHUBARB</b> .....	10	